

Effective November 9, 2020 • Supercedes FPP-0320 of March 30, 2020

Prices and MTO status subject to change without notice.  
Visit our website for the most current information.

## Bronze Ball Valves

<b>Fig. No.</b> <b>KT-505-W8</b> Ball-Threaded, UL/FM with 2 int. Supv. Swt. 300 PSI WWP	<b>Size</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>							
	<b>List Price</b>	\$ 588	\$ 628	\$ 754	\$ 882	\$ 1,143							
	Box Qty.	1	1	1	1	1							
	Case Qty.	10	8	4	4	4							
	Unit Weight	6.05	7.10	9.00	10.70	13.00							
<b>Fig. No.</b> <b>KG-505-W8</b> Ball-Grooved Above with 2 internal Supervisory Switches	<b>Size</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>							
	<b>List Price</b>	N/A	N/A	N/A	\$ 920	\$ 1,189							
	Box Qty.	—	—	—	1	1							
	Case Qty.	—	—	—	4	4							
	Unit Weight	—	—	—	12.50	12.60							
<b>Fig. No.</b> <b>T580 (KT580)</b> Ball-Threaded, 400 PSI WWP, Standard Port	<b>Size</b>	<b>1/4"</b>	<b>3/8"</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>	<b>3"</b>		
	<b>List Price</b>	(See Current SVP or IRR Price Sheet)											
<b>Fig. No.</b> <b>T585-70 (KT585-70)</b> Ball-Threaded, 600 PSI WWP, Full Port	<b>Size</b>	<b>1/4"</b>	<b>3/8"</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>	<b>3"</b>		
	<b>List Price</b>	(See Current CBV or IRR Price Sheet)											
<b>Fig. No.</b> <b>KT585-70UL</b> Ball-Threaded, 300 PSI WWP Full Port UL/FM for Trim & Drain	<b>Size</b>	<b>1/4"</b>	<b>3/8"</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>	<b>3"</b>		
	<b>List Price</b>	\$ 40.59	\$ 40.59	\$ 42.00	\$ 68.09	\$ 84.86	N/A	N/A	N/A	N/A	N/A		
	Box Qty.	10	10	10	5	5	—	—	—	—	—		
	Case Qty.	100	100	100	50	40	—	—	—	—	—		
	Unit Weight	.45	.45	.69	1.33	1.79	—	—	—	—	—		
<b>Fig. No.</b> <b>KT580-70UL</b> Ball-Threaded 300 PSI WWP Std. Port UL/FM for Trim & Drain	<b>Size</b>	<b>1/4"</b>	<b>3/8"</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>	<b>3"</b>		
	<b>List Price</b>	N/A		N/A	N/A	N/A	\$138.50	\$177.60	\$227.30				
	Box Qty.	—		—	—	—	5	5	5	See			
	Case Qty.	—		—	—	—	20	20	10	CBV Price Sheet			
	Unit Weight	—		—	—	—	2.17	3.27	5.09	Fig# T-580-70 ‡			
<b>Fig. No.</b> <b>T-FP600</b> FIP x FIP, 150 SWP, 600 CWP, PTFE Seats, Standard Hand Lever	<b>Size</b>	<b>1/4"</b>	<b>3/8"</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	
		(See Current SVP Price Sheet)											
<b>Fig. No.</b> <b>S-FP600</b> Cup x Cup, 150 SWP, 600 CWP, PTFE Seats, Chrome Plated Body, Std. Hand Lever	<b>Size</b>	<b>3/8"</b>	<b>1/2"</b>	<b>3/4"</b>	<b>1"</b>	<b>1¼"</b>	<b>1½"</b>	<b>2"</b>	<b>2½"</b>	<b>3"</b>			
		(See Current SVP Price Sheet)											

**NOTE:** Most bronze trim valves are also available in solder end for copper sprinkler systems.

**WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

**NIBCO**<sup>®</sup>  
AHEAD OF THE FLOW<sup>®</sup>

<b>NIBCO INC.</b>	1516 MIDDLEBURY STREET	DOMESTIC CUSTOMER SERVICE	TECHNICAL SERVICE	INTERNATIONAL OFFICE
<b>WORLD HEADQUARTERS</b>	EIKHART, IN 46516-4740	PHONE: 800.234.0227	PHONE: 888.446.4226	PHONE: +1/574.295.3327
WEB: <a href="http://www.nibco.com">www.nibco.com</a>	USA	FAX: 800.234.0557	FAX: 888.336.4226	FAX: +1/574.295.3455

## Bronze Gate, Globe, Check Valves (Threaded)

<b>Fig. No.</b> <b>T103HC*</b>  UL/FM 175 PSI WWP Hose End Gate w/Cap and Chain N.P.T. to A.N.F.H.* Threads	<b>Size</b>	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
	<b>List Price</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$ 1,396	N/A
	Box Qty.	—	—	—	—	—	—	—	1	—
	Case Qty.	—	—	—	—	—	—	—	2	—
	Unit Weight	—	—	—	—	—	—	—	18.52	—
<b>Fig. No.</b> <b>T1040</b>  OS&Y Gate,UL/FM ULC, 175 PSI WWP	<b>Size</b>	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
	<b>List Price</b>	N/A	\$ 460.00	\$ 461.20	\$ 465.50	\$ 537	\$ 694	\$ 900	N/A	N/A
	Box Qty.	—	1	1	1	1	1	1	—	—
	Case Qty.	—	20	20	10	10	10	6	—	—
	Unit Weight	—	2.28	2.83	3.66	5.83	6.84	11.31	—	—
<b>Fig. No.</b> <b>KT65UL</b>  Globe, 175 PSI WWP, EPDM Disc, UL Listed for Trim & Drain (1/4"-3/8" #KT65)	<b>Size</b>	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	
	<b>List Price</b>	N/A	N/A	\$ 56.94	\$ 71.44	\$ 101.60	N/A	N/A	N/A	
	Box Qty.	—	—	10	10	5	—	—	—	
	Case Qty.	—	—	100	100	25	—	—	—	
	Unit Weight	—	—	.67	.74	1.68	—	—	—	
<b>Fig. No.</b> <b>KT211WUL</b>  Globe, 175 PSI WWP, EPDM Disc, UL Listed Trim & Drain	<b>Size</b>	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
	<b>List Price</b>	N/A	N/A	N/A	N/A	\$ 220.80	\$ 317.20	\$ 354	See BIDV Price Sheet Fig#T-211-Y ♂ ‡	
	Box Qty.	—	—	—	—	2	2	2		
	Case Qty.	—	—	—	—	10	10	6		
Unit Weight	—	—	—	—	3.55	5.49	8.25			
<b>Fig. No.</b> <b>KT291W3</b>  Three Way Side Outlet Globe, 400 PSI WWP	<b>Size</b>	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"		
	<b>List Price</b>	\$ 40.59	N/A	N/A	N/A	N/A	N/A	N/A		
	Box Qty.	10	—	—	—	—	—	—		
	Case Qty.	100	—	—	—	—	—	—		
	Unit Weight	.41	—	—	—	—	—	—		
<b>Fig. No.</b> <b>KT67UL</b>  Angle, 175 PSI WWP, EPDM Disc, UL Listed for Trim & Drain	<b>Size</b>	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"		
	<b>List Price</b>	N/A	\$ 64.73	\$ 75.99	\$ 110.60	N/A	N/A	N/A		
	Box Qty.	—	10	10	5	—	—	—		
	Case Qty.	—	50	50	25	—	—	—		
	Unit Weight	—	.62	.70	1.71	—	—	—		
<b>Fig. No.</b> <b>T301W</b>  Angle, 175 PSI WWP, EPDM Disc, UL/ULC Listed for Trim & Drain	<b>Size</b>	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
	<b>List Price</b>	See BIDV Price Sheet Fig#T-311-Y ♂ ‡				\$ 220.80	\$ 286.90	\$ 332.30	See BIDV Price Sheet Fig#T-311-Y ♂ ‡	
	Box Qty.					1	1	1		
	Case Qty.					10	10	10		
Unit Weight	3.71					5.54	6.72			

**NOTE:** Most bronze trim valves are also available in solder end for copper sprinkler systems.  
‡ These sizes not U.L. listed or FM approved.  
\* American National Fire Hose threads.  
♣ Bronze Globe & Check Valves with PTFE disc.  
Specify T-211-Y Globe/T-311-Y Angle Globe/T-413-Y and T-433-Y Check

 **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

**Bronze Gate, Globe, Check Valves (Threaded) (Cont)**

Fig. No.	Size	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
<b>T331HC *</b>	<b>List Price</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	\$ 1,372	N/A
Hose End Angle w/Cap and Chain N.P.T. to A.N.F.H. Threads, UL/FM, 300 PSI WWP	Box Qty.	—	—	—	—	—	—	—	1	—
	Case Qty.	—	—	—	—	—	—	—	4	—
	Unit Weight	—	—	—	—	—	—	—	15.61	—

  

Fig. No.	Size	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
<b>KT403W</b>	<b>List Price</b>	N/A	\$ 84.86	\$ 98.29	\$ 132.80	\$ 181.90	\$ 247.90	\$ 315.00	See BIDV Price Sheet	
Swing Check, 200 PSI WWP, Rubber Disc	Box Qty.	See BIDV Price Sheet	10	10	5	5	2	2	Fig#T-433-Y † ‡	
	Case Qty.	Fig#	50	50	30	20	10	10		
	Unit Weight	T-413-Y † ‡	.58	.92	1.55	2.32	3	4.87		

  

Fig. No.	Size	1/4"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
<b>T480 (KT480)</b>	<b>List Price</b>	(See Current SVP Price Sheet)								
250 PSI WWP Inline Check-Bronze, Spring Actuated										

**Grooved Butterfly Valves**

Fig. No.	Size	2 1/2"	3"	4"	5"	6"	8"	10"
<b>GD4865-4N</b>	<b>List Price</b>	\$ 695	\$ 758	\$ 782	N/A	\$ 1,095	\$ 1,579	\$ 2,577
Butterfly, 300 PSI WWP, UL/FM Grooved End	Pallet Qty	30	30	30	—	21	10	8
	Unit Weight	9.5	11.6	15	—	31.5	43	77

  

Fig. No.	Size	2 1/2"	3"	4"	5"	6"	8"	10"
<b>GD4865-8N</b>	<b>List Price</b>	\$ 695	\$ 758	\$ 782	N/A	\$ 1,095	\$ 1,579	\$ 2,639
Butterfly, 300 PSI WWP, Above with 2 internal Supervisory Switches	Pallet Qty.	30	30	30	—	21	10	8
	Unit Weight	9.5	11.6	15	—	31.5	43	77

  

Fig. No.	Size	2 1/2"	3"	4"	5"	6"	8"	10"
<b>GD4865-C-8N</b>	<b>List Price</b>	\$ 773	\$ 842	\$ 865	N/A	\$ 1,216	\$ 1,753	\$ 2,812
Butterfly, 300 PSI WWP, Designed for Normally Closed Position Monitoring, Above with 2 internal Supervisory Switches	Pallet Qty.	30	30	30	—	21	10	8
	Unit Weight	9.5	11.6	15	—	31.5	43	77
<b>WARNING: These Valves are NOT to be used between the water source and sprinkler head.</b>								

  

Fig. No.	Size	2 1/2"	3"	4"	5"	6"	8"	10"
<b>GD6865-4N</b>	<b>List Price</b>	\$ 773	\$ 842	\$ 865	N/A	\$ 1,215	\$ 1,753	\$ 2,639
Butterfly, 350 PSI WWP, UL/FM Grooved End	Pallet Qty	30	30	30	—	21	10	8
	Unit Weight	10.3	11.6	14.2	—	31.1	36.3	75

  

Fig. No.	Size	2 1/2"	3"	4"	5"	6"	8"	10"
<b>GD6865-8N</b>	<b>List Price</b>	\$ 773	\$ 842	\$ 865	N/A	\$ 1,215	\$ 1,753	\$ 2,812
Butterfly, 350 PSI WWP, Above with 2 internal Tamper Switches	Pallet Qty.	30	30	30	—	21	10	8
	Unit Weight	9.5	11.6	15	—	31.5	43	77

  

Fig. No.	Size	2 1/2"	3"	4"	5"	6"	8"	10"
<b>GD6865-C-8N</b>	<b>List Price</b>	\$ 773	\$ 842	\$ 865	N/A	\$ 1,215	\$ 1,753	\$ 2,812
Butterfly, 350 PSI WWP, Designed for Normally Closed Position Monitoring, Above with 2 internal Supervisory Switches	Pallet Qty.	30	30	30	—	21	10	8
	Unit Weight	9.5	11.6	15	—	31.5	43	75
<b>WARNING: These Valves are NOT to be used between the water source and sprinkler head.</b>								

**Bronze Gate, Globe and Check Valves**

**NOTE:** Most bronze trim valves are also available in solder end for copper sprinkler systems.

‡ These sizes not U.L. listed or FM approved.

\* American National Fire Hose threads.

α Bronze Globe & Check Valves with PTFE disc.

Specify T-211-Y Globe/T-311-Y Angle Globe/T-413-Y and T-433-Y Check

 **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

### Wafer and Lug Butterfly Valves

Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>WD3510-4</b>	<b>List Price</b>	\$ 688	\$ 690	\$ 764	\$ 781	\$ 1,058	\$ 1,088	\$ 1,648	\$ 2,078	\$ 2,914
Wafer, UL/FM, 250 PSI, WWP	Pallet Qty.	30	30	30	30	21	21	10	8	7
	Unit Weight	21	23	24	27	31	35	47	78	103
<b>WD3510-8</b>	<b>List Price</b>	\$ 733	\$ 738	\$ 813	\$ 827	\$ 1,111	\$ 1,138	\$ 1,697	\$ 2,129	\$ 2,961
Wafer, with 2 internal Supervisory Switches	Pallet Qty.	30	30	30	30	21	21	10	8	7
	Unit Weight	21	24	24	27	31	35	49	78	103
<b>LD3510-4</b>	<b>List Price</b>	\$ 783	\$ 797	\$ 876	\$ 894	\$ 1,215	\$ 1,265	\$ 1,904	\$ 2,390	\$ 3,394
Lug Butterfly , UL/FM, 250 PSI WWP	Pallet Qty.	30	30	30	30	21	21	10	8	7
	Unit Weight	23	25	25	31	37	40	52	94	123
<b>LD3510-8</b>	<b>List Price</b>	\$ 883	\$ 843	\$ 984	\$ 1,004	\$ 1,265	\$ 1,393	\$ 1,957	\$ 2,440	\$ 3,442
Lug, with 2 internal Supervisory Switches	Pallet Qty.	30	30	30	30	21	21	10	8	7
	Unit Weight	23	25	26	31	37	40	55	94	123

### Iron Gate and Check Valves

Fig. No.	Size	2½"	3"	4"	5"	6"	8"	10"	12"		
<b>F607-OTS</b>	<b>List Price</b>	\$ 1,014	\$ 1,170	\$ 1,403	\$ 2,320	\$ 2,240	\$ 3,676	\$ 6,261	\$ 9,207		
OS & Y Gate, Flanged, UL/FM, ULC, I.B.B.M., 175 PSI WWP, Pre-Groo- ved Stem for T.S. Mounting	Pallet Qty.	18	14	10	7	5	3	3	2		
	Unit Weight	55	66	107	145	179	308	481	706		
<b>F607-RWS</b>	<b>List Price</b>	\$ 1,069	\$ 1,243	\$ 1,449	N/A	\$ 2,287	\$ 3,541	\$ 6,040	\$ 8,877	\$ 16,695	\$ 22,129
OS & Y Gate, Flanged, UL/FM, ULC, Resilient Wedge, 300 PSI CWP Pre-Grooved Stem for T.S. Mounting, Drilled, Tapped and Plugged at Position A	Pallet Qty.	18	12	10	—	5	3	3	2	1	1
	Unit Weight	42	56	78	—	139	214	346	525	926	935
<b>F607-RWSB</b>	<b>List Price</b>	\$ 1,080	\$ 1,260	\$ 1,470	\$ 2,307	\$ 3,570	\$ 6,074	\$ 8,911	\$ 14,358	\$ 22,197	
	Pallet Qty.	16	14	10	5	3	3	2	2	1	
	Unit Weight	40	44	73	117	198	324	493	929	935	
<b>F609</b>	<b>List Price</b>	N/A	N/A	\$ 1,420	N/A	\$ 2,218	\$ 3,565	\$ 5,704	\$ 9,319		
NRS Gate, Flanged, UL/FM, ULC, I.B.B.M. 175 PSI WWP, Indicator Post Gate	Pallet Qty.	—	—	10	—	8	5	3	2		
	Unit Weight	—	—	105	—	170	277	399	623		
<b>F609-RWS</b>	<b>List Price</b>	N/A	N/A	\$ 1,333	N/A	\$ 2,046	\$ 3,188	\$ 5,396	\$ 8,933	\$ 14,358	\$ 22,220
NRS Gate, Flanged, UL/FM ULC, Res. Wedge, 300 PSI CWP, Indicator Post Gate	Pallet Qty.	—	—	10	—	8	5	3	2	1	1
	Unit Weight	—	—	89	—	133	199	298	383	—	—

**NOTE:** OS&Y gate, wafer butterfly and wafer check valves available to 24" (not UL-FM-P.O.A.)

**NOTE:** Sprocket rim and chain available for OS&Y gate valves - see BIDV Price Sheet

**⚠ WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

**Iron Gate and Check Valves (Cont)**

<b>Fig. No.</b> <b>M609</b> NRS Gate, Mech. Jt., UL/FM, ULC, I.B.B.M., 175 PSI WWP, Indicator Post Gate (less access)	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>		
	<b>List Price</b>	<b>N/A</b>	<b>N/A</b>	<b>\$ 1,468</b>	<b>N/A</b>	<b>\$ 2,335</b>	<b>\$ 3,630</b>	<b>\$ 5,413</b>	<b>\$ 9,039</b>		
	Pallet Qty.	—	—	10	—	8	5	3	2		
	Unit Weight	—	—	100	—	153	250	390	556		
<b>Fig. No.</b> <b>M609-RWS</b> NRS Gate, Mech. Jt., UL/FM, ULC Res. Wedge 250 PSI CWP, Indicator Post Gate (less access)	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>		
	<b>List Price</b>	<b>N/A</b>	<b>N/A</b>	<b>\$ 1,372</b>	<b>N/A</b>	<b>\$ 2,183</b>	<b>\$ 3,188</b>	<b>\$ 5,038</b>	<b>\$ 8,387</b>		
	Pallet Qty.	—	—	10	—	8	5	3	2		
	Unit Weight	—	—	84	—	139	181	267	391		
<b>Fig. No.</b> <b>FM609-RWS</b> NRS Gate, FLXMJ UL/FM, ULC Res., Wedge 250 PSI CWP, WWP, Indicator	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>		
	<b>List Price</b>	<b>N/A</b>	<b>N/A</b>	<b>\$ 1,464</b>	<b>N/A</b>	<b>\$ 2,230</b>	<b>\$ 3,586</b>	<b>\$ 5,487</b>	<b>\$ 8,707</b>		
	Pallet Qty.	—	—	1	—	1	1	1	1		
	Unit Weight	—	—	87.5	—	138.5	199	298	383		
<b>Fig. No.</b> <b>F908W</b> Swing Check, Flanged, UL/FM, ULC, 175 PSI WWP, Rubber Disc, ¾ Drilled, Tapped, Plugged @ Postiion 'C'	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>		
	<b>List Price</b>	<b>\$ 1,585</b>	<b>\$ 1,690</b>	<b>\$ 1,757</b>	<b>\$ 4,092</b>	<b>\$ 2,801</b>	<b>\$ 4,752</b>	<b>\$ 10,334</b>	<b>\$ 11,997</b>		
	Pallet Qty.	25	25	16	12	12	9	6	4		
	Unit Weight	53	62	103	145	174	290	490	683		
<b>Fig. No.</b> <b>KG900W-LF</b> Grooved Check, UL/FM, 250 PSI, WWP	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>		
	<b>List Price</b>	<b>\$ 580</b>	<b>\$ 639</b>	<b>\$ 804</b>	<b>\$ 1,194</b>	<b>\$ 1,219</b>	<b>\$ 1,825</b>	<b>\$ 2,923</b>	<b>\$ 3,785</b>		
	Pallet Qty.	25	25	16	12	12	9	6	4		
	Unit Weight	53	62	103	145	174	290	490	683		
<b>Fig. No.</b> <b>KG900W350-LF</b> Grooved Check, UL/FM, 350 PSI, WWP	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>		
	<b>List Price</b>	<b>\$ 639</b>	<b>\$ 710</b>	<b>\$ 894</b>	<b>N/A</b>	<b>\$ 1,283</b>	<b>\$ 2,033</b>	<b>\$ 3,243</b>	<b>N/A</b>		
	Pallet Qty.	25	25	16	—	12	9	6	4		
	Unit Weight	53	62	103	—	174	290	490	683		
<b>Fig. No.</b> <b>KW900W-LF</b> Wafer Check, UL/FM, Rubber Seat, 250 PSI WWP, (Sizes 2½, 3, 5, FM only)(14 & 16 not FM rated)	<b>Size</b>	<b>2½"</b>	<b>3"</b>	<b>4"</b>	<b>5"</b>	<b>6"</b>	<b>8"</b>	<b>10"</b>	<b>12"</b>	<b>14"</b>	<b>16"</b>
	<b>List Price</b>	<b>\$ 597</b>	<b>\$ 685</b>	<b>\$ 706</b>	<b>\$ 1,080</b>	<b>\$ 1,123</b>	<b>\$ 1,812</b>	<b>\$ 2,928</b>	<b>\$ 4,109</b>	<b>\$ 7,209</b>	<b>\$ 8,817</b>
	Pallet Qty.	48	60	48	48	48	40	25	9	1	1
	Unit Weight	6	8	14	18	27	50	94	150	170	225

**NOTE:** OS&Y gate, wafer butterfly and wafer check valves available to 24"  
(not UL-FM-POA)

**NOTE:** Sprocket rim and chain available for OS&Y gate valves - see BIDV Price Sheet

† These sizes **not** NIBCO brand

 **WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

## Hi-Rise Iron Gate and Check Valves

Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>F637-31</b>	<b>List Price</b>									
(See Current BIDV Price Sheet)										
OS&Y Gate, Ductile Iron, 285 PSI (Use w/Class 150 Steel Flanges)										
Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>F667-0</b>	<b>List Price</b>									
(See Current BIDV Price Sheet)										
OS&Y Gate, Cast Iron, 500 P.S.I. WWP N.Y.C.M.E.A. Approved (Use w/Class 300 Steel Flanges)										
Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>F697-0</b>	<b>List Price</b>	N/A	\$ 2,134	\$ 2,385	\$ 3,226	N/A	\$ 5,714	\$ 9,330	\$ 14,184	N/A
OS&Y Gate, UL/FM, 350 PSI WWP N.Y.C.M.E.A. Approved (Use w/Class 300 Steel Flanges)										
	Pallet Qty.	—	18	14	10	—	5	3	3	—
	Unit Weight	—	74	122	193	—	411	637	897	—
Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>F938-31</b>	<b>List Price</b>									
(See Current BIDV Price Sheet)										
Swing Check, Ductile Iron, 285 PSI WWP (Use w/Class 150 Steel Flanges)										
Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>F968-B</b>	<b>List Price</b>									
(See Current BIDV Price Sheet)										
Swing Check, Cast Iron, 500 PSI WWP, N.Y.C.M.E.A. Approved (Use w/Class 300 Steel Flanges)										
Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>G917-W</b>	<b>List Price</b>	N/A	\$ 729	\$ 729	\$ 729	N/A	\$ 1,847	N/A	N/A	N/A
Swing Check w/spring, Iron, Grooved, Horizontal & Vertical, 250 PSI WWP, UL/FM N.Y.C.M.E.A. Approved										
	Pallet Qty.	—	—	—	—	—	—	—	—	—
	Unit Weight	—	9	11	17	—	38	—	—	—
Fig. No.	Size	2"	2½"	3"	4"	5"	6"	8"	10"	12"
<b>G-997</b>	<b>List Price</b>	\$ 244.60	\$ 238.10	\$ 267.30	\$ 318.30	\$ 529	\$ 598	\$ 1,007	\$ 1,960	\$ 2,903
Swing Check, Ductile Iron, Grooved, Horizontal, 300 PSI CWP, UL/FM										
	Unit Weight	7	8	10	16	20	36	60	114	166

## Indicator Posts for Butterfly Valves

Post Assembly Fig. No.	Standard Post Lengths	List Price	Special Post Lengths						
Wall post - Specify by adding "WP" to valve fig. no. i.e. WD3510-8WP Includes one wall cover plate	22"	Contact NIBCO Tech. Services	Add \$50 for set-up plus \$5 per inch if longer than standard.						
Underground post Specify by adding "GP" to valve fig. no. i.e. WD3510-4GP	66"								
Sizing of Post: Measure from top of valve operator flange to top of post operator flange.									
Butterfly Valve Size	2"	2.5"	3"	4"	5"	6"	8"	10"	12"
Centerline to top of valve operator flange - wafer/lug	5.4"	5.9"	6.1"	6.9"	7.4"	8.0"	9.3"	10.5"	12.0"
Centerline to top of valve operator flange - grooved	—	4.1"	4.4"	5.3"	—	7.9"	8.0"	—	—
Handwheel Clearance Needed Outside Wall*	6"	6"	6"	6"	6"	6"	9"	9"	14"

**BUTTERFLY VALVE POST INDICATOR - UL Listed** for Wall or Underground Installation. (Post not FM approved.)

**Factory assembled only.** Post assembly includes weatherproof gear operator with target indicator.

Internal supervisory switches available on sizes 2"-8".

List Pricing - **Add post price to grooved or wafer butterfly valve price.**

\*Minimum clearance needed outside of wall is determined by the handwheel diameter i.e. 6". Height of gear operator with target is 6".  
Underground post to be minimum 36" ground line to top. For reference, NIP-2 gate valve wall post 9" wall to target, 20" wall to top.

Supervisory Switch Repair Kits are available [TS-2M (#RGB3000) **\$ 188.40 List price double switch** for T/G-505-8 and KT/KG505-8 ball valves and UL only" grooved BFV; **TS-4 (T117774) \$92 List Price double switch** for most 1990 dated and newer UL-FM grooved BFV and 1991 and newer 2"-8" UL-FM wafer BFV]. Provide date from I.D. plate when ordering kit.

**⚠ WARNING:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Indicator Posts for Gate Valves

<b>Fig. No.</b> <b>NIP-1AU</b> (Upright-Adjustable) Part Number RG02985	<b>List Price</b> \$ 2,283 <b>Pallet Qty.</b> 1 150
<b>NIP-1AUE</b> (Upright Adjustable) Part Number RG02986	<b>List Price</b> \$ 2,664 <b>Pallet Qty.</b> 1 <b>Unit Weight</b> 192
<b>NIP-1AUEE</b> (Upright-Adjustable) Part Number RG02988	<b>List Price</b> \$ 2,898 <b>Pallet Qty.</b> 1 <b>Unit Weight</b> 236
<b>NIP-2AW</b> (Wall Post) Part Number RG02984	<b>List Price</b> \$ 1,245 <b>Pallet Qty.</b> 12 <b>Unit Weight</b> 80

Min. Bury Depth				Max. Bury Depth		
Valve Size**	NIP-1AU	NIP-1AUE	NIP-1AUEE	NIP-1AU	NIP-1AUE	NIP-1AUEE
4"	28"	46"	64"	48"	66"	84"
6"	33"	51"	69"	53"	71"	89"
8"	38"	56"	74"	58"	76"	94"
10"	42"	60"	78"	62"	80"	98"
12"	46"	64"	82"	66"	84"	102"

\*\*F-609/M-609

Available with deeper bury depths. P.O.A.

### Factory Options

#### Standard Factory Options

**Order Both Valve and Factory Options Together**

#### TAPPING CHARGES\* (Specify tap size and location)

Not available on RWS Gate Valves

Valve Size	Part #	Max Size of Tapping	List Price
2"-4"	#SP00000 FC	1/2"	See Current
5"-8"	#SP00001 FC	3/4"	BIDV
10"-24"	#SP00002 FC	1"	Price Sheet

#### BUILT-UP BY-PASSES

VALVE SIZE	SIZE OF BY-PASS	PART #	CLASS 175# VALVES
2"-3"	3/4"	—	POA
4"	1"	—	POA
6"	1 1/4"	—	\$ 617
8"	1 1/2"	—	\$ 617
10"	1 1/2"	—	\$ 882
12"	2"	—	\$ 882

#### MJ ACCESSORY KIT FOR 609/619 SERIES

**MJ IPS Accessory Kit for 609/619 Series Only - Includes MJ Flange, Bolts, Nuts and Transition Gasket**

Valve Size	3"	4"	6"	8"	10"	12"
Part Number	RG27030	RG27040	RG27050	RG27060	RG27070	RG27080
1 Set per MJ End	List Price Unit Weight					
	(See Current Irrigation Price Sheet)					

**MJ C900/DI Accessory Kit for 609/619 Series Only - Includes MJ Flange, Bolts, Nuts and Gasket**

Valve Size	4"	6"	8"	10"	12"
Part Number	RG27090	RG27100	RG27110	RG27120	RG27130
1 Set per MJ End	List Price Unit Weight				
	(See Current Irrigation Price Sheet)				

**⚠ WARNING:** Cancer and Reproductive Harm – www.P65Warnings.ca.gov.

\*Not available on RWS Gate Valves.

**Factory Options (Cont.)**

**Field Retrofit Options**

**AUTOMATIC BALL DRIP ASSEMBLY (for Iron Check Valves)**

<u>Valve Size</u>	<u>Part #</u>	<u>List Price</u>
1/2"	RG22000	\$ 92.34
3/4" (fits standard 3/4 tap)	RG22100	\$ 121.80

**TORX WRENCH**

<u>Description</u>	<u>Part #</u>	<u>List Price</u>
Tamper-proof screw wrench for K-505/UL & FM Butterfly gear operator	T065739 PP	\$ 62.78

**OS&Y SUPERVISORY SWITCH FOR T-104-O/F-607 Series**

<u>Description</u>		<u>Part #</u>	<u>List Price</u>	<u>Unit Weight</u>
Potter OS&Y Supervisory Switch	Single Switch	1010106	\$ 363.70	2
Assembly Field Installation	Double Switch	1010202	378.80	2

**WALL POST PLATE For Butterfly Valves**

<u>Description</u>	<u>Part #</u>	<u>List Price</u>
Plate for Butterfly Valve with Wall Post	T047606 PP	\$ 183.30

**SQUARE OPERATING NUT FOR 609RW SERIES**

		<u>4"</u>	<u>6"</u>	<u>8"</u>	<u>10"</u>	<u>12"</u>
Square Operating Nut	Part Number	T117213 PP	T117258 PP	T117258 PP	T117281 PP	T117302 PP
Only for 609/619 RW Series	List Price			(See Current BIDV Price Sheet)		

**MEA FLAG FOR BUTTERFLY VALVES**

<u>Description</u>	<u>Part #</u>	<u>List Price</u>
MEA Flag Only For Butterfly Series	T117860 FC	\$ 46.22

 **WARNING:** Cancer and Reproductive Harm – [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



**NIBCO INC.**  
**WORLD HEADQUARTERS**  
 WEB: [www.nibco.com](http://www.nibco.com)

1516 MIDDLEBURY STREET  
 ELKHART, IN 46516-4740  
 USA

DOMESTIC CUSTOMER SERVICE  
 PHONE: 800.234.0227  
 FAX: 800.234.0557

TECHNICAL SERVICE  
 PHONE: 888.446.4226  
 FAX: 888.336.4226

INTERNATIONAL SERVICE  
 PHONE: +1/574.295.3327  
 FAX: +1/574.295.3455